



SINGAPOREAN NOTICES TO MARINERS

| SECTION | CONTENT | Page |
|---------|-----------------------------------------------------------------|------|
| I | Affected Charts & Publications | 1 |
| II | New Charts & Publications | 3 |
| | Notices to Mariners and Chart Corrections | 6 |
| | Temporary and Preliminary Notices | 10 |
| III | Navigational Information | 14 |
| | Amendments to Publications | 15 |
| IV | Reprint of Maritime Safety Information | 16 |
| V | Extract of Admiralty Notices to Mariners for Dual-Badged Charts | 18 |

The monthly Notices to Mariners contain information required to keep charts and publications published by the Hydrographic Division, Maritime and Port Authority of Singapore up-to-date.

Mariners are requested to notify the Chief Hydrographer, Maritime and Port Authority of Singapore, immediately of the discovery of new or suspected dangers to navigation, observed changes to aids to navigation and ways Singaporean Charts and Publications can be improved. The Hydrographic Note on the back page should be used for this purpose.

Detailed information of charts and publications (coverage of charts, latest editions and distributors) are available on the Maritime and Port Authority Website: www.mpa.gov.sg


- [Singaporean Notice to Mariners](#)
- [Singaporean Charts](#)
- [Dual-Badged Charts](#)
- [Singapore ENC](#)
- [Malacca and Singapore Straits ENC](#)
- [Singapore Port Information](#)
- [Singapore Tide Tables](#)

Contact information:

Hydrographic Division
Maritime and Port Authority of Singapore
7B Keppel Road
#20-00 Tanjong Pagar Complex
Singapore 089055
Tel : (65) 6325 2027
Fax : (65) 6226 1076
Email : hydrographic@mpa.gov.sg

EXPLANATION OF FORMAT

The elements of a typical chart correction are explained below.



Notes:

a) Notice to Mariners number followed by:

T indicates a Temporary Notice (eg. **NM 9T/2020**).

P indicates a Preliminary Notice (eg. **NM 10P/2020**).

b) Bearings are true reckoned clockwise from 000° to 359°; those relating to lights are from seaward.

c) Heights and elevations are above Mean High Water Springs.

I
AFFECTED CHARTS AND PUBLICATIONS

INDEX OF AFFECTED CHARTS

| DESCRIPTION | NOTICE NO. | PAGE NO. |
|-----------------------------------------------------------------|-------------------|-----------------|
| New Charts and Publications | - | 3 - 5 |
| Singaporean Chart GSP1/SP1 | 9 | 6 |
| Singaporean Chart 201 | 9 | 6 |
| Singaporean Chart 202 | 9 | 6, 7 |
| Singaporean Chart 500 | 9, *10 | 7, 8 |
| Singaporean Chart 501 | 9, *10 | 8 |
| Singaporean Chart 502 | 9 | 8, 9 |
| Singaporean Chart 503 | 9 | 9 |
| Temporary and Preliminary Notices | 11P, *12T, 13P | 10 - 13 |
| Singapore Port Marine Notices/Circulars | *14 | 14 |
| Amendments to Publications | *15 | 15 |
| Reprint of Maritime Safety Information | - | 16, 17 |
| Extract of Admiralty Notices to Mariners for Dual-Badged Charts | - | 18 |

*Source: Maritime and Port Authority of Singapore

I
AFFECTED CHARTS AND PUBLICATIONS

INDEX OF NOTICES

| NOTICE NO. | DESCRIPTION | PAGE NO. |
|-------------------|-----------------------------------------------------------------|-----------------|
| - | New Charts and Publications | 3 - 5 |
| 9 | Singaporean Chart GSP1/SP1 | 6 |
| 9 | Singaporean Chart 201 | 6 |
| 9 | Singaporean Chart 202 | 6, 7 |
| 9, *10 | Singaporean Chart 500 | 7, 8 |
| 9, *10 | Singaporean Chart 501 | 8 |
| 9 | Singaporean Chart 502 | 8, 9 |
| 9 | Singaporean Chart 503 | 9 |
| 11P, *12T, 13P | Temporary and Preliminary Notices | 10 - 13 |
| *14 | Singapore Port Marine Notices/Circulars | 14 |
| *15 | Amendments to Publications | 15 |
| - | Reprint of Maritime Safety Information | 16, 17 |
| - | Extract of Admiralty Notices to Mariners for Dual-Badged Charts | 18 |

*Source: Maritime and Port Authority of Singapore

II

NEW CHARTS AND PUBLICATIONS

NEW EDITION SINGAPORE PORT INFORMATION 2020/2021 TO BE PUBLISHED ON 15th MARCH 2020**Summary of Publication**

This publication contains Port Information such as:

1. Routeing and Reporting Information

- * Straits of Malacca and Singapore - Routeing System
- * Mandatory Ship Reporting System in the Straits of Malacca and Singapore - STRAITREP
- * Rules for vessels navigating during hours of darkness through the Straits Of Malacca and Singapore (Recommendatory Measure)
- * Revised reporting procedures for notification and confirmation of a vessel's arrival in Singapore
- * Amendment to reporting procedures for vessels maneuvering in port
- * Guide to VHF communication in port and Singapore Strait
- * VHF radio telephone reporting procedures for vessels manoeuvring within the Traffic Information Area (TIA) in the East Johor Strait
- * Tall vessels' movements in port waters surrounding Changi Airport
- * 15-metre, 30-metre, 49-metre Height Restricted Areas in Port

2. Pilotage and Pilotage Exemption Information

- * Pilotage
- * Pilotage Exemption Course

3. Port Clearances and Reporting Procedures

- * Port health clearances procedures for vessels arriving Singapore
- * Port clearance formalities for arriving and departing vessels
- * Reporting of marine incidents in port
- * Dissemination of passage plan to shipmasters
- * Conduct of mandatory port limit courses
- * Facilities for the collection of garbage from ships in Singapore
- * Singapore Port Dues

4. Navigational Information

- * Anchorages and Fairways, Least depths of anchorages in the port
- * The use of canoes and kayaks within the port limits of Singapore
- * Depths of navigational channels, fairways, rivers and basins
- * Vertical and safe overhead clearance under bridges and aerial cableway

5. Information on Aids to Navigation

- * IALA Maritime Buoyage System
- * Characteristics of Aids to Navigation - List of beacons, buoys and lighthouses
- * Abbreviations for light characters and colours on light buoys and beacons
- * Semaphore tower at Pulau Satumu - Raffles Lighthouse

II NEW CHARTS AND PUBLICATIONS

6. Information on Wharves, Docks and Berths

7. Communication - International Code of Signals

8. Nautical Services and Products

- * Index and chart catalogue of Singaporean Charts
- * Index and chart catalogue of Dual Badged Charts
- * Maritime and Port Authority of Singapore - Nautical Charts and Publications Distributors
- * Singapore Electronic Navigational Charts Catalogue and Distributors
- * Feedback Form
- * Singapore DGPS Correction Service

It will be useful for the following users:

Mariners, shipping community, port users and other interested users.

Frequency/Year of Publication

Once every 2 years

This publication can be purchased at any of our MPA Nautical Chart and Publications Distributors.

Information can be found on the following link :

<http://www.mpa.gov.sg/web/portal/home/media-centre/publications/singapore-port-information>

II

NEW CHARTS AND PUBLICATIONS

NEW EDITION SINGAPOREAN CHARTS PUBLISHED ON 15TH FEBRUARY 2020

| | | |
|-----------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Chart Number | : | GSP1 |
| Title | : | Anchorage and Aids to Navigation |
| Coverage | : | Lat 01° 06·43' N 01° 29·40' N Long 103° 34·00' E 104° 08·10' E |
| Scale | : | 1 : 65 000 |
| Date to be Published | : | 15 th February 2020 |
| Size of Chart | : | 973.2 x 651.3 mm |
| Description | : | This new edition includes new changes to aids to navigation, working areas, submarine cables, depth contours from the latest surveys covering west of Tuas View Reclamation, Temasek Fairway, Sinki Fairway, West Keppel Fairway, Jong Fairway, Southern Fairway, Eastern Fairway, West Jurong Channel, East Jurong Channel, Western Anchorages, Sudong Anchorages, Eastern Anchorages, East and West Johor Strait and Pulau Tekong. |

The existing chart of the same number published on 15th January 2018 has been superseded.

*This chart is provided with a grid reference.

| | | |
|-----------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Chart Number | : | SP1 |
| Title | : | Anchorage and Aids to Navigation |
| Coverage | : | Lat 01° 06·43' N 01° 29·40' N Long 103° 34·00' E 104° 08·10' E |
| Scale | : | 1 : 65 000 |
| Date to be Published | : | 15 th February 2020 |
| Size of Chart | : | 973.2 x 651.3 mm |
| Description | : | This new edition includes new changes to aids to navigation, working areas, submarine cables, depth contours from the latest surveys covering west of Tuas View Reclamation, Temasek Fairway, Sinki Fairway, West Keppel Fairway, Jong Fairway, Southern Fairway, Eastern Fairway, West Jurong Channel, East Jurong Channel, Western Anchorages, Sudong Anchorages, Eastern Anchorages, East and West Johor Strait and Pulau Tekong. |

The existing chart of the same number published on 15th January 2018 has been superseded.

II

NOTICES TO MARINERS AND CHART CORRECTIONS

GSP1/SP1 4 Ed 15/2/20

(Joint Hydrographic Survey of the
Straits of Malacca and Singapore)

NM 9/2020

Move



from : 1°11·48'N 103°37·22'E
to : 1°11·51'N 103°37·21'E

Insert



1°11·26'N 103°37·02'E
1°11·24'N 103°37·43'E
1°10·68'N 103°38·85'E

201


6 Ed 15/9/17

Last NM 85/2019

(Joint Hydrographic Survey of the
Straits of Malacca and Singapore)

NM 9/2020

Insert



1°15·06'N 103°25·24'E

202


8 Ed 15/9/16

Last NM 113/2019

(Joint Hydrographic Survey of the
Straits of Malacca and Singapore)

NM 9/2020

Delete




1°11·48'N 103°37·22'E


depth, 30₂

1°17·72'N 104°10·95'E


Insert



1°15·06'N 103°25·24'E




1°14·13'N 103°27·06'E




1°14·02'N 103°29·20'E




1°11·26'N 103°37·02'E




1°11·51'N 103°37·21'E




1°11·24'N 103°37·43'E




1°10·68'N 103°38·85'E




1°18·02'N 104°15·77'E




1°18·77'N 104°16·72'E




1°18·24'N 104°18·75'E



1°17·33'N 104°09·37'E













1°17·40'N 104°09·83'E



1°17·62'N 104°08·47'E












II

NOTICES TO MARINERS AND CHART CORRECTIONS

| | | | |
|--------|-----------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------|
| Insert |  <i>Wk</i> | 1°17.72'N | 104°10.95'E |
| |  <i>Wk</i> | 1°19.63'N | 104°20.34'E |
| | depth, <i>34</i> | 1°11.30'N | 103°36.16'E |
| | depth, <i>28₅</i> | 1°10.82'N | 103°34.94'E |
| <hr/> | | | |
| 500 | 8 Ed 15/9/17 | Last NM 6/2020 | (Joint Hydrographic Survey of the Straits of Malacca and Singapore) NM 9/2020 |
| Delete |  <i>Wk</i> | 1°11.48'N | 103°37.22'E |
| | depth, <i>35</i> | 1°15.75'N | 103°24.12'E |
| Insert |  <i>Wk</i> | 1°15.06'N | 103°25.24'E |
| |  <i>Wk</i> | 1°14.13'N | 103°27.06'E |
| |  <i>Wk</i> | 1°14.02'N | 103°29.20'E |
| |  <i>Wk</i> | 1°11.26'N | 103°37.02'E |
| |  <i>Wk</i> | 1°11.51'N | 103°37.21'E |
| |  <i>Wk</i> | 1°11.24'N | 103°37.43'E |
| |  <i>Wk</i> | 1°10.68'N | 103°38.85'E |
| | depth, <i>27₆</i> | 1°15.72'N | 103°24.43'E |
| | depth, <i>31</i> | 1°15.54'N | 103°24.50'E |
| | depth, <i>37</i> | 1°15.27'N | 103°25.00'E |
| | depth, <i>29₂</i> , enclosed by 30m contour | 1°15.77'N | 103°24.10'E |
| | depth, <i>31</i> | 1°15.12'N | 103°25.19'E |
| | depth, <i>28₂</i> | 1°10.39'N | 103°38.23'E |
| | depth, <i>28₄</i> | 1°10.41'N | 103°39.22'E |
| | depth, <i>26₈</i> | 1°10.61'N | 103°38.75'E |
| | depth, <i>28₅</i> | 1°10.82'N | 103°34.94'E |







II

NOTICES TO MARINERS AND CHART CORRECTIONS

| | | | | |
|--------|------------------------------------------------------------------------------------------|--------------------------------------------|---------------------------------------------------------------------|-------------------|
| Insert | depth, 30_6 | | 1°10·60'N | 103°38·16'E |
| | depth, 30_2 | | 1°13·27'N | 103°32·98'E |
| | | (Maritime and Port Authority of Singapore) | | NM 10/2020 |
| Insert | the accompanying block, centred on : | | 1°15·04'N | 103°37·98'E |
| <hr/> | | | | |
| 501 | 7 Ed 1/9/15 | Last NM 6/2020 | (Joint Hydrographic Survey of the Straits of Malacca and Singapore) | NM 9/2020 |
| Delete |  Wk | | 1°11·48'N | 103°37·22'E |
| Insert |  Wk | | 1°14·02'N | 103°29·20'E |
| |  Wk | | 1°11·26'N | 103°37·02'E |
| |  Wk | | 1°11·51'N | 103°37·21'E |
| |  Wk | | 1°11·24'N | 103°37·43'E |
| |  Wk | | 1°10·68'N | 103°38·85'E |
| | depth, 28_2 , and extend 30m contour N to enclose | | 1°10·39'N | 103°38·23'E |
| | depth, 28_4 , and extend 30m contour N to enclose | | 1°10·41'N | 103°39·22'E |
| | depth, 26_8 | | 1°10·61'N | 103°38·75'E |
| | depth, 28_5 | | 1°10·82'N | 103°34·94'E |
| | depth, 30_6 | | 1°10·60'N | 103°38·16'E |
| | depth, 30_2 | | 1°13·27'N | 103°32·98'E |
| | | (Maritime and Port Authority of Singapore) | | NM 10/2020 |
| Insert | the accompanying block, centred on : | | 1°15·04'N | 103°37·98'E |
| <hr/> | | | | |
| 502 | 8 Ed 12/9/19 | Last NM 104/2019 | (Joint Hydrographic Survey of the Straits of Malacca and Singapore) | NM 9/2020 |
| Delete |  Wk | | 1°17·35'N | 104°09·38'E |
| Insert |  Wk | | 1°17·62'N | 104°08·47'E |
| |  Wk | | 1°17·33'N | 104°09·37'E |
| |  Wk | | 1°17·40'N | 104°09·83'E |
| |  Wk | | 1°17·72'N | 104°10·95'E |

II

NOTICES TO MARINERS AND CHART CORRECTIONS

| | | | | |
|--------|---------------------------------------------------------------------------------------------|------------------|------------------------------------------------------------------------|------------------|
| Insert |  <i>Wk</i> | | 1°18·02'N | 104°15·77'E |
| |  <i>Wk</i> | | 1°18·77'N | 104°16·72'E |
| <hr/> | | | | |
| 503 | 5 Ed 15/8/14 | Last NM 113/2019 | (Joint Hydrographic Survey of the Straits of Malacca and Singapore) | NM 9/2020 |
| Insert |  <i>Wk</i> | | 1°18·02'N | 104°15·77'E |
| |  <i>Wk</i> | | 1°18·77'N | 104°16·72'E |
| |  <i>Wk</i> | | 1°18·24'N | 104°18·75'E |
| |  <i>Wk</i> | | 1°19·63'N | 104°20·34'E |

II

TEMPORARY AND PRELIMINARY NOTICES

**(NM 11P/2020) : CHANGES TO ANCHORAGE AREAS -
SINGAPORE STRAIT (MAIN STRAIT) - NIPA ISLAND**

1. Changes to anchorage areas have taken place as follows :

Anchorage area, **PT. Pelindo 1** (former Nipa Transit Anchorage), has been amended, joining the following positions :

| | |
|-------------|--------------|
| 1°09·447'N, | 103°36·498'E |
| 1°09·186'N, | 103°38·547'E |
| 1°05·500'N, | 103°40·800'E |
| 1°04·500'N, | 103°38·900'E |
| 1°06·832'N, | 103°34·945'E |

Anchorage area, **Zone A**, has been amended, joining the following positions :

| | |
|-------------|--------------|
| 1°09·346'N, | 103°34·747'E |
| 1°09·551'N, | 103°35·683'E |
| 1°09·447'N, | 103°36·498'E |
| 1°06·167'N, | 103°34·550'E |
| 1°07·067'N, | 103°33·033'E |

Anchorage area, **Zone B**, has been amended, joining the following positions :

| | |
|-------------|--------------|
| 1°10·300'N, | 103°35·683'E |
| 1°10·300'N, | 103°38·700'E |
| 1°09·167'N, | 103°38·700'E |
| 1°09·551'N, | 103°35·683'E |

Anchorage area, **Zone C** (former Zone B Anchorage), has been amended, joining the following positions :

| | |
|-------------|--------------|
| 1°07·644'N, | 103°39·490'E |
| 1°08·283'N, | 103°40·717'E |
| 1°06·300'N, | 103°42·000'E |
| 1°06·550'N, | 103°42·500'E |
| 1°05·800'N, | 103°42·800'E |
| 1°04·998'N, | 103°41·107'E |

2. These changes will be included in next New Editions of Charts 202, 500, 501, BA4039, BA4040.
3. These changes has been included in New Edition GSP1/SP1 published on 15 Feb 2020.

Charts affected - Singaporean Charts GSP1/SP1, 202, 500, 501
Dual-badged Charts BA4039, BA4040

Source : Indonesian Notice No. 45/603-604/2019

II

TEMPORARY AND PRELIMINARY NOTICES

***(NM 12T/2020)** : **TEMASEK FAIRWAY TEMPORARY RE-ALIGNMENT**

Remarks : Temasek Fairway will be temporary re-aligned due to dredging works within fairway limits. (refer to Maritime and Port Authority of Singapore, Port Marine Notice 11/2020)

Working Period : With effect from 24 February 2020 to 23 August 2020, 24 hours daily including Sundays and Public Holidays.

The re-aligned boundaries of Temasek Fairway are bounded by a line joining the following geographical positions:

(WGS84 Datum)

| | Latitude (N) | Longitude (E) | |
|-------------------------------|--------------|---------------|-------------------|
| Temasek Fairway line joining: | 1° 16·485' | 103° 39·216' | Triton Buoy |
| | 1° 15·955' | 103° 39·216' | Jurong Empat Buoy |
| | 1° 15·012' | 103° 39·597' | Jurong Dua Buoy |
| | 1° 14·310' | 103° 39·938' | Jurong Satu Buoy |
| to: | 1° 13·702' | 103° 40·138' | |

Charts affected : Singapore GSP1/SP1, 202, 500, 501, BA 4030, BA 4031, BA 4033, BA 4038 and BA 4040

Source: Maritime and Port Authority of Singapore

II

TEMPORARY AND PRELIMINARY NOTICES

(NM 13P/2020) : TUAS SOUTH - SUBMARINE CABLE DIVERSION

1. The IGG cable has been laid joining the following positions :

Stub 1 :

1°13·01'N, 103°37·05'E
 1°12·49'N, 103°36·90'E
 1°11·86'N, 103°35·98'E
 1°11·82'N, 103°35·26'E
 1°11·68'N, 103°35·11'E
 1°11·07'N, 103°34·93'E
 1°11·36'N, 103°32·35'E
 1°07·94'N, 103°29·62'E
 1°07·39'N, 103°29·20'E
 1°07·41'N, 103°28·97'E
 1°07·64'N, 103°28·58'E

Stub 2 :

1°07·94'N, 103°29·62'E
 1°07·78'N, 103°29·62'E
 1°07·53'N, 103°29·93'E

Stub 3 :

1°07·94'N, 103°29·62'E
 1°07·86'N, 103°29·57'E
 1°07·69'N, 103°29·59'E
 1°07·46'N, 103°29·87'E

BU1 :

1°07·47'N, 103°29·27'E
 1°07·34'N, 103°29·28'E
 1°07·32'N, 103°29·25'E
 1°07·31'N, 103°29·29'E

2. The i2i cable has been laid joining the following positions :

1°13·05'N, 103°36·91'E
 1°12·47'N, 103°36·69'E
 1°11·97'N, 103°35·96'E
 1°11·95'N, 103°35·22'E
 1°11·82'N, 103°35·09'E
 1°11·01'N, 103°34·89'E
 1°10·30'N, 103°34·43'E
 1°10·24'N, 103°34·27'E
 1°10·56'N, 103°33·13'E

3. The Indigo cable has been laid joining the following positions :

1°13·05'N, 103°36·91'E
 1°12·47'N, 103°36·69'E
 1°11·97'N, 103°35·96'E
 1°11·95'N, 103°35·22'E
 1°11·82'N, 103°35·09'E
 1°11·01'N, 103°34·89'E
 1°09·86'N, 103°34·13'E
 1°09·80'N, 103°34·05'E
 1°09·16'N, 103°33·62'E

II

TEMPORARY AND PRELIMINARY NOTICES

4. The SJC cable has been laid joining the following positions :

1°13·05'N, 103°36·91'E
 1°12·47'N, 103°36·69'E
 1°11·97'N, 103°35·96'E
 1°11·95'N, 103°35·22'E
 1°11·82'N, 103°35·09'E
 1°11·01'N, 103°34·89'E
 1°10·03'N, 103°34·24'E
 1°09·77'N, 103°34·19'E
 1°09·65'N, 103°34·07'E
 1°09·17'N, 103°33·75'E

5. The SMW3 cable has been laid joining the following positions :

Segment 2.7 :

1°13·05'N, 103°36·90'E
 1°12·48'N, 103°36·65'E
 1°11·98'N, 103°35·94'E
 1°11·98'N, 103°35·22'E
 1°11·83'N, 103°35·07'E
 1°11·08'N, 103°34·87'E
 1°06·81'N, 103°32·05'E
 1°01·53'N, 103°32·84'E
 1°01·16'N, 103°32·90'E
 1°00·68'N, 103°32·88'E
 1°00·18'N, 103°32·92'E

Segment 3.1 :

1°13·05'N, 103°36·90'E
 1°12·48'N, 103°36·65'E
 1°11·98'N, 103°35·94'E
 1°11·98'N, 103°35·22'E
 1°11·83'N, 103°35·07'E
 1°11·08'N, 103°34·87'E
 1°06·81'N, 103°32·05'E
 1°01·53'N, 103°32·84'E
 1°01·28'N, 103°32·73'E
 1°00·20'N, 103°32·86'E

Segment 4.1 :

1°13·05'N, 103°36·90'E
 1°12·48'N, 103°36·65'E
 1°11·98'N, 103°35·94'E
 1°11·98'N, 103°35·22'E
 1°11·83'N, 103°35·07'E
 1°11·08'N, 103°34·87'E
 1°05·89'N, 103°31·43'E
 1°05·85'N, 103°31·28'E
 1°07·65'N, 103°27·76'E

6. These changes will be included in the next New Edition Singaporean and Dual Badged Charts.
 7. These changes has been included in the New Edition GSP1/SP1 published on 15 Feb 2020.

Charts affected - Singaporean Charts GSP1/SP1, 202, 500, 501
 Dual-badged Charts BA4039, BA4040

III NAVIGATIONAL INFORMATION

*(NM 14/2020)

SINGAPORE PORT MARINE NOTICES / CIRCULARS

The Port Marine Notices/Circulars shortlisted below would be of particular interest to Mariners. Details and complete list of Port Marine Notices/Circulars are available at this link:

<http://www.mpa.gov.sg/web/portal/home/port-of-singapore/circulars-and-notices>

PMC No.**Subject**

2/2020

Extension of precautionary measures to minimize risk of community spread of the 2019 Novel Coronavirus in Singapore

3/2020

Maritime declaration of health

4/2020

DORSCON Orange precautionary measures for the shipping community

PMN No.**Subject**

4/2020

Dredging and wreck removal works off Sultan Shoal Lighthouse

5/2020

Works at Tuas Terminal Phase 1

6/2020

Works at Tuas Terminal Phase 2

8/2020

Marine piling works off Jurong Island

Source: Maritime and Port Authority of Singapore

III
AMENDMENTS TO PUBLICATIONS

***(NM 15/2020) UPDATING OF PUBLICATION “SINGAPORE TIDE TABLES 2020”**

1. Pages 223 to 242

Amend the following:

KUALA JOHOR - OFF MALANG TIGA
Lat 01°23·3'N **Long 104°01·1'E**

Source: Maritime and Port Authority of Singapore

IV

REPRINT OF MARITIME SAFETY INFORMATION

The following Maritime Safety Information have been shortlisted, as they would be of particular interest to mariners.

TT175

VESSELS IN EAST JOHOR STRAIT ARE ADVISED TO NAVIGATE WITH PARTICULAR ALERTNESS AND CAUTION WHEN NEAR THE PROJECT AREAS OFF PULAU TEKONG, CHANGI AND MALANG PAPAN AS SHALLOW WATER AREAS EXIST. VESSELS ARE REMINDED TO PROCEED AT A SAFE SPEED AND MAINTAIN A PROPER LOOK-OUT, PARTICULARLY FOR TUGS AND BARGES NAVIGATING NEAR THE PROJECT AREAS AND PASSENGER FERRIES CROSSING BETWEEN CHANGI AND PULAU TEKONG AND VICINITY OF PASIR GUDANG.

TT273

ALL VESSELS ARE ADVISED TO NAVIGATE WITH CAUTION, COMPLY WITH THE COLREGS, MAINTAIN VHF RADIO WATCH AND LISTEN TO TRAFFIC INFORMATION WHEN NAVIGATING IN THE SINGAPORE STRAIT AND PORT WATERS. MARINERS ARE ALSO ADVISED TO KEEP A GOOD LOOKOUT OF FREQUENT FERRIES CROSSING THE SINGAPORE STRAIT.

TT363 (AMENDED ON 140821UTC APRIL 2019)

MARINERS ARE REMINDED NOT TO ANCHOR IN ALL AREAS IN THE TSS, INCLUDING PRECAUTIONARY AREAS OF THE STRAITS OF MALACCA AND SINGAPORE AS WELL AS BETWEEN THE LANDWARD LIMITS OF THE TSS AND APPROACHES TO THE PORTS. VESSELS ENTERING ANY PORT IN ANY LITTORAL STATES ARE TO ANCHOR IN THE ANCHORAGES DESIGNATED BY THE RESPECTIVE LITTORAL STATES. MARINERS ARE ALSO REMINDED THAT EVERY CARE SHOULD BE TAKEN TO AVOID ANCHORING IN THE VICINITY OF SUBMARINE CABLES OR PIPELINES.

TT399

VESSELS ARRIVING TO SINGAPORE OR TRANSITING THROUGH THE STRAIT ARE RECOMMENDED TO UPDATE THEIR DESTINATION ACCURATELY IN THE AIS TO ENHANCE SITUATIONAL AWARENESS FOR OTHER TRAFFIC IN THE VICINITY. EG: SG-PEBGB FOR PILOT EASTERN BOARDING GROUND BRAVO.

TT418

WEST BOUND DEEP DRAFT VESSELS AND VLCCS ARE REMINDED TO COMPLY WITH THE RULES OF VESSELS NAVIGATING THROUGH THE STRAITS OF MALACCA AND SINGAPORE (SOMS). THEY SHALL ALLOW FOR AN UKC OF AT LEAST 3.5 METRES AT ALL TIMES DURING THE ENTIRE PASSAGE THROUGH THE SOMS AND AS FAR AS IT IS SAFE AND PRACTICABLE, PROCEED AT A SPEED OF NOT MORE THAN 12 KTS OVER THE GROUND IN THE WESTBOUND LANE OF THE SINGAPORE STRAIT (BETWEEN SOUTH OF ST JOHN'S ISLAND & RAFFLES LIGHTHOUSE). THEY ARE ADVISED TO BROADCAST, 8 HOURS BEFORE ENTERING THE TSS, NAVIGATIONAL INFORMATION GIVING NAME, DEADWEIGHT, DRAUGHT, SPEED AND TIMES OF PASSING HORSBURGH LIGHTHOUSE AND RAFFLES LIGHTHOUSE.

TT426

ALL MARINERS ARE REMINDED TO NAVIGATE WITH CAUTION IN THE PRECAUTIONARY AREAS AND TSS, MAINTAIN A GOOD LOOKOUT FOR CROSSING TRAFFIC. VESSELS INTENDING TO CROSS THE TSS SHALL DO SO ONLY WHEN IT IS SAFE AND SHALL AT ALL TIMES COMPLY WITH THE COLREGS.

TT440

A NUMBER OF UNKNOWN VESSELS ARE OBSERVED ANCHORED IN THE TSS/PRECAUTIONARY AREA SOUTH OF TG. RAMUNIA AT APPROXIMATE POSITION LAT 01°17'91"N LONG 104°14'92"E. ALL VESSELS ARE ADVISED TO KEEP A GOOD LOOK OUT AND PROCEED WITH CAUTION WHEN PASSING THIS AREA IN THE SINGAPORE STRAIT.

TT580

TK (Takong KL) ISOLATED DANGER BUOY IN POSITION LAT 01°05'8"N LONG 103°43'6"E UNLIT. MARINERS ARE ADVISED TO NAVIGATE WITH CAUTION.

TT590

THE SEMAPHORE TOWER "X" LIGHT AT RAFFLES LIGHTHOUSE IS UNDER MAINTENANCE. MARINERS ARE TO NAVIGATE WITH CAUTION.

TT592

SAFE WATER MARK BUOY (LFL.10s) IN POSITION LAT 01°03'00"N LONG 103°39'03"E SOUTH OF RACON D, MARKING THE ENTRANCE TO THE DEEP WATER ROUTE IS REPORTED OUT OF POSITION. ALL VESSELS ARE ADVISED TO NAVIGATE WITH CAUTION.

TT621

OUTER SHOAL BEACON AT POSITION LAT 01°15'018"N LONG 103°51'812"E IS DAMAGED. ALL VESSELS ARE TO NAVIGATE WITH CAUTION.

TT626

REPORT OF UNAUTHORISED BOARDINGS ON 9 FEB 2020 AT 0220 HRS LT IN POSITION AT LAT 01°15'72"N LONG 104°08'47"E AND AT 0252 HRS LT IN POSITION AT LAT 01°15'683"N LONG 104°10'517"E. ALL VESSELS PASSING THE VICINITY ARE REQUESTED TO MAINTAIN A GOOD ANTI PIRACY WATCH.

IV
REPRINT OF MARITIME SAFETY INFORMATION

TT627

DUE TO THE STRENGTHENING OF THE PREVAILING NORTH-EASTERLY WINDS OVER THE SOUTH CHINA SEA, OCCASIONAL WIND GUSTS OF GREATER THAN 30 KNOTS CAN BE EXPECTED OVER SINGAPORE BETWEEN 19-22 FEB 2020. ALL VESSELS ARE ADVISED TO KEEP A VIGILANT ANCHOR WATCH.

TT630

REPORT OF UNAUTHORISED BOARDING ON 28 FEB 2020 AT 0045LT IN POSITION LAT 01°08·63'N LONG 103°28·68'E. ALL VESSELS PASSING THE VICINITY ARE REQUESTED TO MAINTAIN A GOOD ANTI PIRACY WATCH.

TT961

VESSELS INTENDING TO CROSS THE TRAFFIC SEPARATION SCHEME (TSS) OR PRECAUTIONARY AREAS IN THE SINGAPORE STRAIT DURING THE HOURS OF DARKNESS ARE RECOMMENDED TO DISPLAY THE NIGHT SIGNALS CONSISTING OF 3 ALL ROUND GREEN LIGHTS IN A VERTICAL LINE AS DETAILED IN THE MARITIME AND PORT AUTHORITY OF SINGAPORE'S PORT MARINE CIRCULAR, 04 OF 2013 DATED 7 MAY 2013.

SR123 (AMENDED ON 170105UTC APRIL 2019).

ALL VESSELS ARE ADVISED TO MAINTAIN A CONSTANT VISUAL AND RADAR WATCH FOR SMALL CRAFT AND REPORT ANY SUSPICIOUS ACTIVITIES IN THE SINGAPORE STRAIT TO VTIS SINGAPORE.

ISSUED BY SINGAPORE PORT OPERATIONS CONTROL CENTRE (as at 28th February 2020)

V

EXTRACT OF ADMIRALTY NOTICES TO MARINERS FOR DUAL-BADGED CHARTS

These notices can also be accessed directly from UKHO Website:

<http://www.admiralty.co.uk/maritime-safety-information/admiralty-notices-to-mariners>

761(T)/20 SINGAPORE - Dredging area. Fairway. Works.

Source : Maritime and Port Authority of Singapore and UKHO

1. Dredging works are taking place in the Temasek Fairway until 23 February 2020, within an area bounded by the following positions :
 $1^{\circ} 13' \cdot 030N$, $103^{\circ} 39' \cdot 515E$.
 $1^{\circ} 13' \cdot 760N$, $103^{\circ} 39' \cdot 502E$.
 $1^{\circ} 15' \cdot 440N$, $103^{\circ} 38' \cdot 709E$.
 $1^{\circ} 15' \cdot 706N$, $103^{\circ} 38' \cdot 709E$.
 $1^{\circ} 15' \cdot 706N$, $103^{\circ} 38' \cdot 764E$.
 $1^{\circ} 15' \cdot 109N$, $103^{\circ} 39' \cdot 004E$.
 $1^{\circ} 15' \cdot 140N$, $103^{\circ} 39' \cdot 079E$.
 $1^{\circ} 13' \cdot 164N$, $103^{\circ} 39' \cdot 876E$.
2. The limits of the fairway have been temporarily re-aligned to join the following positions :
 $1^{\circ} 13' \cdot 702N$, $103^{\circ} 40' \cdot 138E$.
 $1^{\circ} 14' \cdot 310N$, $103^{\circ} 39' \cdot 938E$.
 $1^{\circ} 15' \cdot 012N$, $103^{\circ} 39' \cdot 597E$.
 $1^{\circ} 15' \cdot 955N$, $103^{\circ} 39' \cdot 216E$.
 $1^{\circ} 16' \cdot 485N$, $103^{\circ} 39' \cdot 216E$.
3. Mariners are advised to navigate with caution in the area and consult the local port authorities for the latest information.
4. Former Notice 504(T)/20 is cancelled.

(WGS84 DATUM)

Charts affected - 4030 - 4031 - 4033 - 4038 - 4040

Update to Admiralty Notices to Mariners No. 9 of 2020 dated 27th February 2020

HYDROGRAPHIC NOTE - Instructions

1. Mariners are requested to notify the Chief Hydrographer, Maritime and Port Authority of Singapore, when new or suspected dangers to navigation are discovered, changes are observed in aids to navigation or where corrections to nautical publications may be necessary. Reports, which cannot be confirmed or are lacking in certain details should not be withheld.
2. Any ambiguities of time, positioning and depth should be stressed and any firm expectation of being able to check the information provided on a following voyage should be mentioned.
3. Mariners using satellite position fixing systems, eg. GPS, should provide details of equipment and datum used (where applicable). Where bearings (true or magnetic) are taken visually or by radar to fix a position, it should include more than two objects in order to provide a check on its accuracy. A position may also be defined by bearing and distance from a conspicuous object eg. beacon, lighthouse etc.
4. The note should include a tracing or a digital image of the chart used and the details should be clearly marked.
5. Echo sounders frequently register greater depths than the advertised maximum depth for the equipment, eg. a trace appearing at 50 metres may be in fact be 550 metres or even 1050 metres for equipment whose maximum depth is 500 metres. Erroneous depths caused by 2nd transmission error can usually be recognised by the following:
 - (a) the tracing being weaker than normal for the depth registered,
 - (b) the trace appearing to pass through the transmission line,
 - (c) the feathery nature of the trace.
6. Upon receipt of a hydrographic note, a Notice to Mariners may be issued. The sender's vessel or name is quoted as the source unless the same information is also received in foreign Notices to Mariners.
7. Reports of shoals, uncharted dangers and defects in aids to navigation may also be made to the appropriate Singapore Port Operations Control Centre on VHF Channels 10, 12, 14, 68 or 73.

HYDROGRAPHIC NOTE

To:

Chief Hydrographer
Maritime and Port Authority of Singapore
7B Keppel Road #20-00 Tanjong Pagar Complex
Singapore 089055

Tel : (65) 6325 2027
Fax : (65) 6226 1076
Email : hydrographic@mpa.gov.sg

Sender's Contact Details :

Date :

Name of Vessel :

Address of Sender :

Tel : Fax :

Email :

Nature of Observation :

General Location :

Subject :

Position : Lat. Long.

Charts Used :

Date & Time of Observation :

Details :
.....
.....

Attachment :

Equipment Used :


Type of Position Fixing : GPS / DGPS Others :


Type of Echo Sounder :


Name and Signature :

Ship's/Company's Stamp :

Image Size (mm) 120.2 by 131.5








| CORRECTION NO. | SNM EDN NO. | LAST CORR N NO. | CHART NO. | Location on Chart | | |
|----------------|-------------|-----------------|-----------|-------------------|--|--|
| | | | | | | |
| 9 | 3/2020 | - | GSP1/SP1 | X | | |

Caution : some computer printers might distort the tracings.
Users are advised to check and, if necessary, adjust settings on the printer



| CORRECTION NO. | SNM EDN NO. | LAST CORR N NO. | CHART NO. | Location on Chart | | |
|----------------|-------------|-----------------|-----------|-------------------|--|---|
| | | | | | | |
| 9 | 3/2020 | 85/2019 | 201 | | | X |

Caution: some computer printers might distort the tracings.
Users are advised to check and, if necessary, adjust settings on the printer

Insert

33 Wk

Insert

27₉ Wk

21₁ Wk
Insert

Insert

34

Insert

26 Wk

Delete

28₅
Insert

38 Wk
Insert

29₃ Wk
Insert


10 Wk
Insert

103°40'E

1°00'N


| CORRECTION NO. | SNM EDN NO. | LAST CORR N NO. | CHART NO. | Location on Chart | | |
|----------------|-------------|-----------------|-----------|-------------------|--|--|
| | | | | | | |
| 9 (Sheet 1) | 3/2020 | 85/2019 | 202 | X | | |
| | | | | | | |

Caution: some computer printers might distort the tracings.
Users are advised to check and, if necessary, adjust settings on the printer



| CORRECTION NO. | SNM EDN NO. | LAST CORR N NO. | CHART NO. | Location on Chart | | |
|----------------|-------------|-----------------|-----------|-------------------|--|---|
| | | | | | | |
| 9 (Sheet 2) | 3/2020 | 85/2019 | 202 | | | X |




Caution: some computer printers might distort the tracings.
 Users are advised to check and, if necessary, adjust settings on the printer



| CORRECTION NO. | SNM EDN NO. | LAST CORR N NO. | CHART NO. | Location on Chart | | |
|----------------|-------------|-----------------|-----------|-------------------|---|--|
| | | | | | | |
| 9 (Sheet 1) | 3 / 2020 | 6 / 2020 | 500 | | X | |


Caution: some computer printers might distort the tracings.
Users are advised to check and, if necessary, adjust settings on the printer

103°35'E
1°15'N




| CORRECTION NO. | SNM EDN NO. | LAST CORR N O. | CHART NO. | Location on Chart | | |
|----------------|-------------|----------------|-----------|-------------------|--|---|
| | | | | | | |
| 9 (Sheet 2) | 3 / 2020 | 6 / 2020 | 500 | | | X |

Caution: some computer printers might distort the tracings.
Users are advised to check and, if necessary, adjust settings on the printer




| CORRECTION NO. | SNM EDN NO. | LAST CORR N NO. | CHART NO. | Location on Chart | | |
|----------------|-------------|-----------------|-----------|-------------------|--|--|
| | | | | X | | |
| 9 (Sheet 1) | 3/2020 | 6/2020 | 501 | | | |

Caution: some computer printers might distort the tracings.
Users are advised to check and, if necessary, adjust settings on the printer



| CORRECTION NO. | SNM EDN NO. | LAST CORR N NO. | CHART NO. | Location on Chart | | |
|----------------|-------------|-----------------|-----------|-------------------|---|--|
| | | | | | X | |
| 9 (Sheet 2) | 3/2020 | 6/2020 | 501 | | | |

Caution: some computer printers might distort the tracings.
Users are advised to check and, if necessary, adjust settings on the printer




104°10'E

1°15'N


| CORRECTION NO. | SNM EDN NO. | LAST CORRNO NO. | CHART NO. | Location on Chart | | |
|----------------|-------------|-----------------|-----------|-------------------|--|---|
| | | | | | | |
| 9 (Sheet 1) | 3/2020 | 104/2019 | 502 | | | x |

Caution : some computer printers might distort the tracings.
Users are advised to check and, if necessary, adjust settings on the printer



| CORRECTION NO. | SNM EDN NO. | LAST CORR N NO. | CHART NO. | Location on Chart | | |
|----------------|-------------|-----------------|-----------|-------------------|--|---|
| | | | | | | |
| 9(Sheet 1) | 3/2020 | 104/2019 | 502 | | | X |

Caution : some computer printers might distort the tracings.
Users are advised to check and, if necessary, adjust settings on the printer



| CORRECTION NO. | SNM EDN NO. | LAST CORR N NO. | CHART NO. | Location on Chart | | |
|----------------|-------------|-----------------|-----------|-------------------|--|--|
| | | | | | | |
| 9 | 3/2020 | 113/2019 | 503 | X | | |
| | | | | | | |

Caution: some computer printers might distort the tracings.
Users are advised to check and, if necessary, adjust settings on the printer